

# SYSTEMS

## agriculture



Department of  
Primary Industries



## Acknowledgements

Lead Author:

Meg Dunford (Project Officer School programs,  
NSW DPI Orange).

Editors, Advisors and Co-authors:

Michelle Fifield

(Education Officer Schools,

NSW DPI Orange) and

Jo Hathway (Project Officer School programs,

NSW DPI Total College).

## Copyright

© State of NSW through the Department of Industry  
2018, except where indicated otherwise.

This work is licensed under a **Creative Commons Attribution-Non Commercial 4.0 International (CC BY-NC 4.0)**. Under this license the material is available for free use and adaption. Educators may use, share, adapt, and republish material from the resource. You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

(<https://creativecommons.org/licenses/by-nc/4.0/>)

---

# Systems Agriculture

An understanding of systems agriculture is integral to all stages in the NSW Agriculture syllabus. The following resource provides background and engaging authentic learning activities to develop and challenge student understanding of the concept.

This resource is produced to address NSW Agriculture Syllabus Stage 5 and 6 outcomes and cross curricular syllabus outcomes for NSW Technology mandatory Stage 4.

## Outcomes:

### Agriculture- Stage 6 HSC

H2.1 Describes the inputs, processes and interactions of plant production systems

H2.2 Describes the inputs, processes and interactions of animal production systems

H3.4 Evaluates the management of the processes in agricultural systems.

### Agriculture- Stage 6 Prelim

P1.1 Describes the complex, dynamic and interactive nature of agricultural production systems

P1.2 Describes the factors that influence agricultural systems

P2.3 Describes the farm as a basic unit of production.

### Agriculture- Stage 4/5

5.1.2 Explains the interactions within and between agricultural enterprises and systems

4.1.2 Outlines the interactions within and between agricultural enterprises and systems

The following resource requires students to utilise the [Tocal College](#) resources to aid in understanding and completion of activities.

- [ESRI Story Maps](#)
- [Tocal Property and Farms](#)

## Glossary

**Boundary:** Limitations of the system. Includes amount of land, climate, soils, technology, managerial skill and funds available.

**Enterprise:** An individual management activity on a farm that produces an income.

**Feedback:** Product performance information received by the farmer. Includes quality and quantity data such as yield, protein %, weight gain for age, dressing %, micron, price etc. Feedback is used by the farmer to influence management decisions regarding inputs and processes within the system to alter sustainability and production.

**Holistic:** Characterised by the belief that the parts of something are intimately interconnected and understandable only through consideration of the whole.

**Input:** Anything that is added into or used in a production enterprise. Inputs can be divided into two groups, physical inputs such as seed, hay, raw materials; and cultural inputs such as money, labour and skills. Only use physical inputs.

**Interaction:** Situation when objects or organisms do something to one another causing change.

**Output:** Final and raw products, such as milk, eggs, meat, livestock.

**Processes:** Actions within the farm that alter a raw material into a desired product. Include shearing, drenching, harvesting, sowing, milking etc.

**Subsystem:** An element or system that itself forms part of a larger system. It may be an enterprise or a unit of the farm such as soils or management.

**Stimulus:** Objects or events which cause a reaction. Subsystems within a system interact with each other in response to stimuli. Examples include market information, pesticide residue and climate.

## Systems Approach

Agriculture is a human activity. It is carried out to produce goods and services ('products'), through the management of animals and cultivation of crops. Pressures which challenge the business of farming include production and economic pressure, social pressures, changing technology, environmental pressures and sustainability goals. Sustainability goals include issues such as protecting water, soil and air resources, reducing agrochemical use, mitigating greenhouse gas emissions and conserving biodiversity.




Figure 1: Worldlink Nourish Food System Map

The **Nourish Food System Map** (Worldlink, 2014) illustrates influences and interactions on agricultural production. It is a system showing many interacting components.

A farm may be regarded as a managed ecosystem. There are similarities between a farm ecosystem and natural ecosystem as both are open systems. Open systems are influenced by external stimuli. They consist of sub systems that are inter related and interdependent and are connected by feedback links to the environment.

Farm ecosystems are different to a natural ecosystem because they are manipulated and managed by humans. Outputs are removed from the system disrupting the natural cycling which occurs in unmanaged ecosystems. Thus, inputs are routinely introduced to sustain production to a desired level. Inputs include livestock, seed, fertiliser among others, and dependant on the production system. Even climatic factors can be managed to an extent.

Systems' thinking in agriculture is an approach which explores how humans manipulate and interact with controlled environments. Fundamental to systems thinking is the identification of agricultural production having the following interacting components.




Figure 2: Components of agricultural systems

Interactions occur when objects or organisms do something to one another causing change. Changes are evidence that an interaction has occurred and are brought about by processes.


A group of interacting components which operate for a purpose is a system. The systems thinking approach recognises that objects or organisms do not function on their own but exist in relationship with other organisms or objects.

A systems approach allows management of complexity by allowing the identification of the level to which the study of the system will be taken to. It is achieved through identifying a boundary, for example, establishing a balanced crop rotation requires development of a whole farm model with the physical fence line as the system boundary. However effective investigation and treatment of a soil degradation issue would require a much broader view. The boundary could be a catchment management area, a state or a continent. Boundaries limit the system investigation. The larger the system; the greater the amount of subsystems and complex interactions studied.

*Figure 3: Systems boundaries impose limitations*

The following definition encapsulates the systems approach.

"A systems approach is a holistic way of addressing a complex and interactive set of problems within a set of boundary conditions. It aims to identify, quantify, and integrate all factors and processes that shape and constrain farming systems. It helps identify researchable issues, clarify relations, and generate testable hypotheses for research and development. 'Systems thinking' examines every aspect of the climatic, biological, political and financial context in which farmers and pastoralists operate, identifying the most suitable solutions to sustainably enhance productivity and reduce risk." (DrylandSystems, 2013)



## Systems models

Models are representations of real things. In agriculture systems, models are used to diagrammatically represent the content (subsystems), processes and interactions of a farm system.

Benefits of using models:

- Simplify complex structures and processes.
- Used for communication or clarification.
- Can be altered to communicate specific information.
- Allow analysis of systems from multiple perspectives.
- Identify cause and effects.
- Improve system understanding through visual analysis.
- Allow for identification of errors quickly.
- Allows for exploration of alternatives.
- Improve impact analysis and identification of potential consequences due to change.
- Different model types show different depth of data.

Limitations include:

- They can give limited detail.
- Oversimplification can lead to misunderstanding.
- Incomplete or inadequate problem analysis.
- Models are representations.

## Model Types

Three model types are commonly used in agriculture to represent farm systems. Each type has varying level of detail.

### Black box model-

- Black box systems model are the least detailed type of systems diagram.
- List inputs and outputs and identify the system boundary.
- Do not give detail on processes involved to convert inputs to outputs.
- Simple system.
- Identify enterprise type.

Figure 4 shows a Black box model of Tocal Colleges' layer enterprise "Numeralla". Follow these links for further reading [Tocal Property and Farms](#) and [ESRI Story Maps](#).




Figure 4: Black box model of Numeralla

### Static display model

- Displays more information than the Black box model.
- Static display models show subsystems operating in a system. They do not show changes between subsystems and how they influence the whole system.
- Lines represent connections and arrows show directions.




Figure 5: Static model of Numeralla

Figure 5 shows a Static model of "Numeralla". Follow these links for further reading [Tocal Property and Farms](#) and [ESRI Story Maps](#).



### Comprehensive model

- Also termed dynamic model.
- Provides greater description.
- Subsystems are identified and displayed in boxes.
- Transformations on farm considered.
- Processes and relationships between inputs, outputs and subsystems identified.

Figure 6 shows a Comprehensive model of Tocal Colleges' layer enterprise "Numeralla". Follow these links for further reading [Tocal Property and Farms](#) and [ESRI Story Maps](#).




Figure 6: Comprehensive model of Numeralla

## Summary

- A systems approach is a holistic way of addressing a complex and interactive set of problems within a set of boundary conditions. It aims to identify, quantify, and integrate all of the factors and processes that shape and constrain farming systems.
- Systems models are visual representations used to simply display the complex interactions, content and processes; that occur in a farming system. Three common types are the black box model, the static display model and more comprehensive types such as the dynamic model.
- Systems have inputs which they transform into outputs.
- What is inside the system boundary is identified as content (e.g. plants, animals, soils) and processes (e.g. growth, reproduction, management). Content and processes are managed by the farmer.
- Environment is outside the systems boundary. It influences what occurs within the farm systems, but cannot be controlled by the farmer.
- The boundary separates the system from the environment. The systems boundary is identified by the 'designer' of the system being investigated.
- Feedback is information about outputs from the system. Often this information is essential to the systems future operation. It influences the transformation process and is controlled by the manager.
- Performance of a system involves measuring internal features (e.g. content and processes) and external features (e.g. productivity, environmental, economic and social factors). No one performance measure should be measured in isolation.



## Systems Worksheet

The following section requires students to utilise the Tocal College resources in addition to this worksheet, to complete the following activities.

- [Tocal Property and Farms](#)
- [ESRI Story Maps](#)

1. Define systems approach

---

---

---

---

2. List the main enterprises and subsystems on Tocal College.

---

---

3. How is it possible that farmer systems are subsystems of much larger systems?

---

---

---

---

4. What advantages are there of making a model to represent a farm system?

---

---

---

---

---

---

---

Go to the Tocal Property and Farms and choose ONE enterprise, to complete the following systems activities. Do not choose egg production at Numeralla, it has been covered.

For your chosen Tocal College enterprise:

5. List the inputs.

---

---

---

---

6. List the outputs.

---

---

---

---

7. List the position of the systems boundary.

---

---

8. What stimuli, outside the boundary, are likely to influence the enterprise?

---

---

---

9. What sort of feedback information should the manager monitor for this enterprise?


---

---


---

---

10. In the space below create a black box model for your chosen enterprise.



11. In the space below create a dynamic model for your chosen enterprise.

A large, empty rectangular box with a thin blue border, intended for the student to create a dynamic model for their chosen enterprise.

## References and Further Reading:

### ESRI Story Maps

Hathway J, 2017, '*ESRI Story Maps*', NSW Department of Primary Industries, Tocal College , <https://trade.maps.arcgis.com/apps/MapSeries/index.html?appid=54c8fa832fc445d8a8994e4731956e0a>, viewed 8 February 2018

### Nourish Food System Map

WorldLink, 2014, '*Nourish Food System Map*', Wordlink, [www.nourishlife.org](http://www.nourishlife.org), viewed 7 March 2018

### Systems research for agriculture

Drinkwater L, Friedman D, Buck L, 2016, "*Systems research for agriculture- Innovative Solutions to Complex Challenges*", SARE Handbook Series 13, SARE and National Institute of Food and Agriculture, [http://www.aceweb.org/resources/Documents/2017%20Gold%20Awards/Class%2022-Systems\\_Research\\_for\\_Agriculture.pdf](http://www.aceweb.org/resources/Documents/2017%20Gold%20Awards/Class%2022-Systems_Research_for_Agriculture.pdf), viewed 8 March 2018

### Systems Thinking – Addressing the agricultural system as a whole

DrylandSystems, 2013, "*Systems Thinking – Addressing the agricultural system as a whole*", DrylandSystems, CGIAR, <http://drylandsystems.cgiar.org/content/systems-thinking-%E2%80%93-addressing-agricultural-system-whole>, viewed 8 March 2018

### Tocal Property and Farms

Hathway J, 2017, '*Tocal Property and Farms*' NSW Department of Primary Industries, Tocal College , <https://www.tocal.nsw.edu.au/tocal-farms>, viewed 8 February 2018



## Target Outcomes

### Agriculture- Stage 6 HSC

H2.1 Describes the inputs, processes and interactions of plant production systems

H2.2 Describes the inputs, processes and interactions of animal production systems

H3.4 Evaluates the management of the processes in agricultural systems.

### Agriculture- Stage 6 Prelim

Outcomes	Content
P1.1 Describes the complex, dynamic and interactive nature of agricultural production systems	<ul style="list-style-type: none"><li>Describe agriculture as a system which is made up of inputs, outputs, boundaries, subsystems, processes, interactions, feedback and monitoring</li><li>Simulate, construct or represent an appropriate model showing inputs, outputs, boundaries, subsystems, processes and interactions between subsystems on a farm</li></ul>
P1.2 Describes the factors that influence agricultural systems	
P2.3 Describes the farm as a basic unit of production.	

### Agriculture- Stage 4-5

Outcomes	Content
5.1.2 Explains the interactions within and between agricultural enterprises and systems	<ul style="list-style-type: none"><li>use drawings, diagrams and flow charts to show relationships between plants, animals, soils, climate and micro-organisms for specific enterprises studied</li></ul>
4.1.2 Outlines the interactions within and between agricultural enterprises and systems	

## Cross curricular Outcomes

### Technology Mandatory Stage 4 2019 syllabus- Agriculture and food technologies

Outcomes	Content
TE4-5AG Investigate how food and fibre are produced in managed environments	<p>Students investigate how food and fibre production is managed in environments as a system and how sustainability can be improved, for example: (ACTDEK032) ST</p> <ul style="list-style-type: none"><li>boundaries, inputs, outputs, processes and feedback occurring in a managed environment</li><li>plants and/or animal species grown in managed environments</li></ul>





---

# Systems Agriculture Worksheet- ANSWER GUIDE

The following section requires students to utilise the Tocal College resources in addition to this worksheet, to complete the following activities.

- [Tocal Property and Farms](#)
- [ESRI Story Maps](#)

1. Define systems approach

"A systems approach is a holistic way of addressing a complex and interactive set of problems within a set of boundary conditions. It aims to identify, quantify, and integrate all of the factors and processes that shape and constrain farming systems. By doing so, it helps identify researchable issues, clarify relations, and generate testable hypotheses for research and development. 'Systems thinking' examines every aspect of the climatic, biological, political and financial context in which farmers and pastoralists operate, identifying the most suitable solutions to sustainably enhance productivity and reduce risk."

2. List the main enterprises and subsystems on Tocal College.

Beef, dairy, egg production, stock horses, sheep, resources, humans/management

3. How is it possible that farmer systems are subsystems of much larger systems?

Farm systems are part of agricultural regions, rural industries and national economies. They can also be perceived as part of a global agricultural/trading and economic system. The identification of the boundary limits the size of the system being investigated.

4. What advantages are there of making a model to represent a farm system?

- Simplify complex structures and processes.
- Used for communication or clarification.
- Can be altered to communicate specific information.
- Allow analysis of systems from multiple perspectives.
- Identify cause and effects.
- Improve system understanding through visual analysis.
- Allow for identification of errors quickly.
- Allows for exploration of alternatives.
- Improve impact analysis and identification of potential consequences due to change.
- Different model types show different depth of data.

5. List the inputs.

Answers will vary- Beef as exemplar

- Brangus bulls
- Angus bulls

- Charolais bulls
- Seed for pasture improvement
- Fertiliser
- Herbicide
- Drench/vaccine
- Fencing materials
- Mineral supplements
- AI semen

6. List the outputs.

Answers will vary- Beef as exemplar

- Yearlings
- Cast for age (CFA) and cull cows (e.g. empty cows)
- Commercial bulls
- Stud bulls

7. List the position of the systems boundary.

Answers will vary- Beef as exemplar

- Boundary is physical fence line encompassing 1790Ha of land.

8. What stimuli, outside the boundary are likely to influence the enterprise?

Answers will vary- Beef as exemplar

- Stimuli would include: climate, local environment, operational and educational requirements of Tocal College, government policy and economic conditions.

9. What sort of feedback information should the manager monitor for this enterprise?

Answers will vary- Beef as exemplar

- Production performance- birthweight, weaning age, calving percentage, growth rate, meat quality and yield, price/kg (weaners), price/bull (stud), pedigrees for stud animals sold.
- Sustainability- could include water usage, fertiliser rate, chemical usage, feed wastage, soil degradation issues.

10. Create a black box model for your chosen enterprise.

Include:

- All inputs
- Boundary
- Enterprise type within boundary
- All outputs

11. Create a dynamic model for your chosen enterprise.

Include:

- All inputs
- Boundary
- All subsystems
- Use arrows to show connections
- Processes and relationships between inputs, outputs and subsystems identified and labelled.
- All outputs